

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7: Wiota-----	90	Not limited		Not limited		Not limited	
11B: Colo-----	60	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Ely-----	30	Not limited		Not limited		Not limited	
13B: Humeston-----	40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Colo-----	25	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Vesser-----	25	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.19
23C: Arispe-----	90	Not limited		Not limited		Not limited	
23C2: Arispe-----	90	Not limited		Not limited		Not limited	
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.02
41C: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.02
41E: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
51: Vesser-----	95	Slope Not limited	0.01	Not limited		Droughty Somewhat limited Flooding Depth to saturated zone	0.02 0.60 0.19
54: Zook-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
56B: Cantril-----	90	Not limited		Not limited		Not limited	
58D2: Douds-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
58E: Douds-----	85	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
58E2: Douds-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
58G: Douds-----	90	Somewhat limited Slope	0.98	Not limited		Very limited Slope	1.00
65E: Lindley-----	85	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65E2: Lindley-----	85	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65F: Lindley-----	85	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
65G: Lindley-----	90	Very limited		Somewhat limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	0.01	Slope	1.00
75B: Givin-----	90	Not limited		Not limited		Not limited	
76B: Ladoga-----	95	Not limited		Not limited		Not limited	
76C: Ladoga-----	95	Not limited		Not limited		Not limited	
80B: Clinton-----	95	Not limited		Not limited		Not limited	
80C: Clinton-----	90	Not limited		Not limited		Not limited	
80C2: Clinton-----	90	Not limited		Not limited		Not limited	
80D2: Clinton-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
88: Nevin-----	90	Not limited		Not limited		Not limited	
93D2: Shelby-----	50	Not limited		Not limited		Somewhat limited Slope	0.63
Adair-----	40	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
122: Sperry-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
131B: Pershing-----	95	Not limited		Not limited		Not limited	
131C: Pershing-----	90	Not limited		Not limited		Not limited	
132B: Weller-----	95	Not limited		Not limited		Not limited	
132C: Weller-----	90	Not limited		Not limited		Not limited	
133: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
173: Hoopeston-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
178: Waukee-----	95	Not limited		Not limited		Not limited	
179E: Gara-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
179E2: Gara-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
179F: Gara-----	90	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
192C2: Adair-----	95	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
192D: Adair-----	90	Not limited		Not limited		Depth to saturated zone	0.19
192D2: Adair-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
208: Landes-----	85	Not limited		Not limited		Not limited	
211: Edina-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
220: Nodaway-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
222C: Clarinda-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
222C2: Clarinda-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
223C2: Rinda-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
223D2: Rinda-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
230C: Arispe-----	60	Not limited		Not limited		Not limited	
Clearfield-----	30	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
260: Beckwith-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
269: Humeston-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
276C2: Ladoga-----	50	Not limited		Not limited		Not limited	
Hedrick-----	40	Not limited		Not limited		Not limited	
279: Taintor-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
280: Mahaska-----	85	Not limited		Not limited		Not limited	
280B: Mahaska-----	90	Not limited		Not limited		Not limited	
281B: Otley-----	95	Not limited		Not limited		Not limited	
281C: Otley-----	95	Not limited		Not limited		Not limited	
313E: Gosport-----	85	Not limited		Not limited		Very limited Slope Depth to bedrock Depth to saturated zone Droughty	0.96 0.46 0.03 0.01

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
313E2: Gosport-----	85	Not limited		Not limited		Very limited Slope Depth to bedrock Depth to saturated zone Droughty	0.96 0.46 0.03 0.01
313F: Gosport-----	85	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope Depth to bedrock Depth to saturated zone Droughty	1.00 0.46 0.03 0.01
315: Landes-----	40	Not limited		Not limited		Not limited	
Perks-----	30	Somewhat limited Too sandy Flooding	0.87 0.40	Somewhat limited Too sandy Flooding	0.87 0.40	Very limited Flooding Droughty	1.00 1.00
Nodaway-----	20	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
362: Haig-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
363: Haig-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
364B: Grundy-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
380B: Mahaska-----	90	Not limited		Not limited		Not limited	
424D2: Lindley-----	60	Not limited		Not limited		Somewhat limited Slope	0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Keswick-----	30	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
424E: Lindley-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Keswick-----	30	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to saturated zone	1.00 0.19
424E2: Lindley-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Keswick-----	30	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to saturated zone	1.00 0.19
425D: Keswick-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
425D2: Keswick-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
451D2: Caleb-----	85	Not limited		Not limited		Somewhat limited Slope	0.37
453: Tuskeego-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
478G: Gosport-----	50	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope Depth to bedrock	1.00 0.46



Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	40	Not rated		Not rated		Droughty Depth to saturated zone	0.06 0.03
520: Coppock-----	85	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
570C: Nira-----	90	Not limited		Not limited		Not limited	
581C2: Otley-----	60	Not limited		Not limited		Not limited	
Nira-----	35	Not limited		Not limited		Not limited	
592C2: Mystic-----	85	Not limited		Not limited		Not limited	
592D2: Mystic-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
594C2: Galland-----	85	Not limited		Not limited		Not limited	
594D2: Galland-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
594E2: Galland-----	85	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
688: Koszta-----	90	Not limited		Not limited		Not limited	
715: Nodaway-----	60	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Landes-----	30	Not limited		Not limited		Not limited	
730B: Nodaway-----	60	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Cantril-----	30	Not limited		Not limited		Not limited	
731C2: Pershing-----	90	Not limited		Not limited		Not limited	
732C2: Weller-----	90	Not limited		Not limited		Not limited	
732D2: Weller-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
779: Kalona-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
792C2: Armstrong-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
792D: Armstrong-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
792D2: Armstrong-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
795D2: Ashgrove-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
831C2: Pershing-----	90	Not limited		Not limited		Not limited	
832C2: Weller-----	90	Not limited		Not limited		Not limited	
876B: Ladoga-----	95	Not limited		Not limited		Not limited	
876C: Ladoga-----	95	Not limited		Not limited		Not limited	
876C2: Ladoga-----	95	Not limited		Not limited		Not limited	
880B: Clinton-----	95	Not limited		Not limited		Not limited	
880C: Clinton-----	90	Not limited		Not limited		Not limited	
880C2: Clinton-----	90	Not limited		Not limited		Not limited	
881B: Otley-----	95	Not limited		Not limited		Not limited	
881C2: Otley-----	90	Not limited		Not limited		Not limited	
892D2: Mystic Variant-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.19 0.16
977: Richwood-----	90	Not limited		Not limited		Not limited	
977B: Richwood-----	90	Not limited		Not limited		Not limited	
993D2: Gara-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Armstrong-----	30	Not limited		Not limited		Somewhat limited Slope	0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.19
1075B: Givin-----	90	Not limited		Not limited		Not limited	
1130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1131B: Pershing-----	95	Not limited		Not limited		Not limited	
1132B: Weller-----	95	Not limited		Not limited		Not limited	
1220: Nodaway-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1279: Taintor-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1280: Mahaska-----	85	Not limited		Not limited		Not limited	
1315: Landes-----	50	Not limited		Not limited		Not limited	
Perks-----	30	Somewhat limited Too sandy Flooding	0.87 0.40	Somewhat limited Too sandy Flooding	0.87 0.40	Very limited Flooding Droughty	1.00 1.00
1977: Richwood Variant----	90	Not limited		Not limited		Not limited	
4000: Urban Land-----	100	Not rated		Not rated		Not rated	
5010: Pits-----	100	Not rated		Not rated		Not rated	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5020: Pits-----	100	Not rated		Not rated		Not rated	
5030: Pits-----	100	Not rated		Not rated		Not rated	
6313: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	